

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: UNIVERSAL SOLDER STICKS WHITE

Manufacturer: PRODUITS DENTAIRES SA.

SDS Expiry: 23 March 2028

Supplier Details: Henry Schein New Zealand  
243-249 Bush Road, Rosedale, Auckland, 0632  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –  
0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 8

HSNO Group Standard: Dental Products Acutely Toxic Corrosive Group Standard 2020  
HSR002559

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – August 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



## SAFETY DATA SHEET

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : UNIVERSAL SOLDER STICKS WHITE

Product code : ART.10001/10005.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

For dental professional use only.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : PRODUITS DENTAIRE SA.

Address : Rue des Bosquets 18 .1800 .Vevey .Switzerland.

Telephone : +41 21 921 26 31. Fax : .

info@pd-dental.com

https://pd-dental.com

#### 1.4. Emergency telephone number : +41 21 921 26 31.

Association/Organisation : .

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### GHS compliant.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Acute dermal toxicity, Category 5 (Acute Tox. 5, H313).

Acute inhalation toxicity, Category 3 (Acute Tox. 3, H331).

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Reproductive toxicity, Category 1A (Repr. 1A, H360).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

##### GHS compliant.

Hazard pictograms :



GHS05



GHS06



GHS08

Signal Word :

DANGER

Product identifiers :

CAS 16871-90-2

CAS 12045-78-2

CAS 7789-29-9

SILICOFLUORURE DE POTASSIUM

TETRABORATE DE POTASSIUM TETRAHYDRATE

HYDROGENOFUORURE DE POTASSIUM

Hazard statements :

H302

Harmful if swallowed.

H313

May be harmful in contact with skin.

H314

Causes severe skin burns and eye damage.

H331

Toxic if inhaled.

H360

May damage fertility or the unborn child .

## UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS

## Precautionary statements - Prevention :

P201	Obtain special instructions before use.
P260	Do not breathe vapours.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves according to the hygienic rules in force in dental surgeries.

## Precautionary statements - Response :

P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair):Rinse skin with cold water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Precautionary statements - Disposal :

P501	Dispose of contents/container according to the hygienic rules in force in dental surgeries and according to the legislation in force.
------	---

**2.3. Other hazards****SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	GHS	Note	%
CAS: 16871-90-2 EC: 240-896-2  SILICOFLUORURE DE POTASSIUM	GHS06 Dgr Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330		10 <= x % < 25
CAS: 12045-78-2 EC: 215-575-5  TETRABORATE DE POTASSIUM TETRAHYDRATE	GHS08 Repr. 1A, H360	[2]	10 <= x % < 25
CAS: 7789-29-9 EC: 232-156-2 REACH: 009-008-00-9  HYDROGENOFLUORURE DE POTASSIUM	GHS06, GHS05, GHS07 Dgr Acute Tox. 3, H301 Skin Corr. 1B, H314 STOT SE 3, H335		2.5 <= x % < 10

**Information on ingredients :**

(Full text of H-phrases: see section 16)

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures****In the event of exposure by inhalation :**

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

**UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS**

**In the event of splashes or contact with skin :**

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Wash the skin thoroughly with soap and fresh water.

**In the event of swallowing :**

Do not give the patient anything orally.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

The product is not combustible itself. Adapt the measures of extinction in the middle surrounding.

**5.1. Extinguishing media**

**Suitable methods of extinction**

In the event of a fire, use :

- carbon dioxide (CO<sub>2</sub>)

- powder

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

- metallic oxide smokes

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Retrieve the product by mechanical means (sweeping/vacuuming).

**6.4. Reference to other sections**

No data available.

**SECTION 7 : HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Always wash hands after handling.

**Fire prevention :**

Prevent access by unauthorised personnel.

## UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS

**Recommended equipment and procedures :**

For personal protection, see section 8.

Packages which have been opened must be reclosed carefully.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep the container tightly closed

**Storage**

Respect storage precautions mentioned on the packaging or in the instructions for use.

**Packaging**

Always conserve in the original packaging.

**7.3. Specific end use(s)**

Consult instructions for use enclosed.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

No data available.

**8.2. Exposure controls****Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :

**- Eye / face protection**

Avoid contact with eyes.

**- Hand protection**

Wear gloves according to the hygienic rules in force in dental surgeries.

**- Body protection**

Avoid skin contact.

After contact with the product, all parts of the body that have been soiled must be washed.

**- Respiratory protection**

Avoid breathing vapours.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

No data available.

**Physical state**

Physical state : Solid.

**Colour**

Silver

**Odour**

Odour threshold : Not stated.

**Melting point**

Melting point/melting range : 630 - 680°C

**Freezing point**

Freezing point / Freezing range : Not stated.

**Boiling point or initial boiling point and boiling range**

Boiling point/boiling range : Not relevant.

**Flammability**

Flammability (solid, gas) : Not stated.

## UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS

**Lower and upper explosion limit**

Explosive properties, lower explosivity limit (%) : Not stated.  
Explosive properties, upper explosivity limit (%) : Not stated.

**Flash point**

Flash point interval : Not relevant.

**Auto-ignition temperature**

Self-ignition temperature : Not relevant.

**Decomposition temperature**

Decomposition point/decomposition range : Not relevant.

**pH**

pH (aqueous solution) : Not stated.

pH : Not relevant.

**Kinematic viscosity**

Viscosity : Not stated.

**Solubility**

Water solubility : Insoluble.

Fat solubility : Not stated.

**Partition coefficient n-octanol/water (log value)**

Partition coefficient: n-octanol/water : Not stated.

**Vapour pressure**

Vapour pressure (50°C) : Not relevant.

**Density and/or relative density**

Density : Not stated.

**Relative vapour density**

Vapour density : Not stated.

**9.2. Other information**

No data available.

**9.2.1. Information with regard to physical hazard classes**

No data available.

**9.2.2. Other safety characteristics**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY**

Do not use if the expiry date is exceeded.

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

Avoid :

- humidity

**10.5. Incompatible materials**

No data available.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO<sub>2</sub>)

- metallic oxide smokes

UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Harmful if swallowed.

May be harmful in contact with skin.

Toxic by inhalation.

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

#### 11.1.1. Substances

##### Skin corrosion/skin irritation :

HYDROGENOFUORURE DE POTASSIUM (CAS: 7789-29-9)

Corrosivity : Causes severe skin burns.

#### 11.1.2. Mixture

No toxicological data available for the mixture.

### 11.2. Information on other hazards

## SECTION 12 : ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### 12.1.2. Mixtures

No aquatic toxicity data available for the substances.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

### 12.7. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

The appropriate waste management of the mixture and/or its container must be determined in accordance with local regulations.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Give to a certified disposal contractor.

## UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 [40-20] - ICAO/IATA 2022 [63]).

**14.1. UN number**

2928


**14.2. UN proper shipping name**

UN2928=TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.

(tetraborate de potassium tetrahydrate, tetraborate de potassium tetrahydrate)

**14.3. Transport hazard class(es)**

- Classification :



6.1+8

**14.4. Packing group**

II

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	6.1	TC2	II	6.1+8	68	500 g	274	E4	2	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage Handling	Segregation
	6.1	8	II	500 g	F-A. S-B	274	E4	Category B SW2	-

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	6.1	8	II	668	15 kg	675	50 kg	A5	E4
	6.1	8	II	Y644	1 kg	-	-	A5	E4

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

The following regulations have been used:

- Globally Harmonized System of Classification and Labelling of Chemicals (GHS), review no. 8 (2019)

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**15.2. Chemical safety assessment**

No data available.



**UNIVERSAL SOLDER STICKS WHITE - ART.10001/10005\_GHS**

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H301	Toxic if swallowed.
H301 + H311	Toxic if swallowed or in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H360	May damage fertility or the unborn child .

**Abbreviations :**

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

CMR: Carcinogenic, mutagenic or reprotoxic.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS05 : Corrosion

GHS06 : Skull and crossbones

GHS08 : Health hazard

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.