



Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint

or Melon PF 10-15% HP)

Manufacturer: Ultradent

SDS Expiry: 3 August 2028

Supplier Details: Henry Schein New Zealand

243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745

Ph. 0800 808 855 www.henryschein.co.nz

Emergency Contacts: Poisons/Hazardous Chemical Info Centre -

0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 8 / 6

HSNO Group Standard: Dental Products Corrosive Group Standard 2020 HSR002555

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – September 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Printing date 03.08.2023 Revision: 03.08.2023

1 Identification

- · Product identifier
- · Trade name: OpalescenceTM TrèswhiteTM Supreme, Opalescence GoTM (Mint or Melon PF 10-15% HP)
- · Article number: SDS 372-001.04R02, 15053, 71048, 15054.
- · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Teeth Whitening Gel
- · Application of the substance / the mixture Professional Dental Teeth Whitening Gel
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products, Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

Ultradent Australia Pty Ltd.

Level 22/2 Market Street

Sydney NSW 2000

Australia

Email: info.anz@ultradent.com Toll Free: 1-800-290929

· Further information obtainable from:

Customer Service

None

None

· Emergency telephone number:

CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazard(s) Identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements Void
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger

(Contd. on page 2)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 1)

· Hazard-determining components of labelling:

Hydrogen Peroxide Carbamide Peroxide

Sodium Hydroxide

Sodium Fluoride

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous	s components:	
56-81-5	Glycerin	30-60%
	♦ Serious eye damage/irritation – Category 2A, H319	
7722-84-1	Hydrogen Peroxide	10-<30%
	Ox. Liq. 1, H271; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332	
124-43-6	Carbamide Peroxide	≥5-<10%
	� Ox. Sol. 3, H272; � Skin Corr. 1B, H314; Eye Dam. 1, H318	
1310-73-2	Sodium Hydroxide	≥3-<5%
	Acute Tox. 3, H301; Skin Corr. 1A, H314; Eye Dam. 1, H318; 1 Acute Tox. 4, H312	
7757-79-1	Potassium Nitrate	<10%
	 Ox. Sol. 2, H272; Skin Irrit. 2, H315; Serious eye damage/irritation − Category 2A, H319; STOT SE 3, H335-H336 	
	Artificial Watermelon	<10%
	♦ Flam. Liq. 3, H226	
8006-90-4	Oils, Peppermint	≥0.1-<1%
	 ♦ Asp. Tox. 1, H304; ♦ Skin Irrit. 2, H315; Serious eye damage/irritation – Category 2A, H319; Skin Sens. 1, H317; Flam. Liq. 4, H227 	
7681-49-4	Sodium Fluoride	<10%
	Acute Tox. 3, H301; Acute Tox. 2, H310; Skin Irrit. 2, H315; Serious eye damage/irritation — Category 2A, H319	
		med on m

(Contd. on page 3)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

Seek medical treatment in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

If swallowed in large quantities seek medical attention.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

ΑU

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 3)

7 Handling and Storage

- · Handling:
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional Dental Teeth Whitening Gel

8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:
56-81-5 Glycerin

	Short-term value: 10 mg/m³
WES	Long-term value: 10 mg/m³ inhalable dust
	inhalable dust

7722-84-1 Hydrogen Peroxide

WES Long-term value: 1.4 mg/m³, 1 ppm

1310-73-2 Sodium Hydroxide

WES Peak limitation: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 4)

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Gel

Colour: Colorless to White
 Odour: Product specific
 Odour threshold: Not determined.

• pH-value at 20 °C: 5.2-7.4

· Change in condition

Melting point/freezing point:
 Initial boiling point and boiling range:
 Flash point:
 Flammability (solid, gas):
 Decomposition temperature:
 Undetermined.
 Not applicable.
 Not determined.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not determined.
Density: Not determined.
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.
Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.Kinematic: Not determined.

• Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity Stable
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid: Excess heat
- · Incompatible materials: Strong caustics, most metals

(Contd. on page 6)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: OpalescenceTM TrèswhiteTM Supreme, Opalescence GoTM (Mint or Melon PF 10-15% HP)

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

LD/LC50	values relevant for classification	on:			
ATE (Acute Toxicity Estimates)					
Oral	LD50	1,774-2,676 mg/kg			
Dermal	LD50	33,750 mg/kg			
Inhalative	LC50/4 h	85.9 mg/l			
56-81-5 G	lycerin				
Oral	LD50	7,750 mg/kg (Guinea pig)			
		4,100 mg/kg (mouse)			
		5,570 mg/kg (rat)			
		27,000 mg/kg (rabbit)			
	LC50 Fish	>5,000 mg/l (Fish)			
Dermal	LD50	>21,900 mg/kg (rat)			
		10,000 mg/kg (rabbit)			
7722-84-1	Hydrogen Peroxide				
Oral	LC50 Fish	16.4 mg/l (Fish)			
124-43-6	Carbamide Peroxide				
Oral	LD50	>2,000 mg/kg (rat)			
<i>1310-73-</i> 2	Sodium Hydroxide				
Oral	LD50	130-340 mg/kg (rat)			
	LC50 Fish	160 mg/l (Fish)			
Dermal	LD50	1,350 mg/kg (rabbit)			
	Absolute lethal concentration	180 ppm (Fish)			
7757-79-1	Potassium Nitrate				
Oral	LD50	3,015 mg/kg (rat)			
		1,901 mg/kg (rabbit)			
	LC50 Fish	1,378 mg/l (Fish)			
Dermal	LD50	>5,000 mg/kg (rat)			
	LC50(Daphnia magna)	490 mg/l (daphnia)			
8006-90-4	Oils, Peppermint				
Oral	LD50	2,490 mg/kg (mouse)			
		2,426 mg/kg (rat)			
7681-49-4	Sodium Fluoride				
Oral	LD50	52 mg/kg (mouse)			
	LC50 Fish (static)	17 mg/l (Fish)			
Dermal	LD50	175 mg/kg (rat)			
~1.	asian limitation Causas savana s	tin huma and one damage			

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 6)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

· Aquatic toxicity:				
56-81-5 Glycerin				
EC50	>10,000 mg/kg (Bacteria)			
7722-84-1 Hydrogen I	Peroxide			
EC50	1.38 mg/l (Algae) 2.4 mg/l (daphnia)			
	2.4 mg/l (daphnia)			
1310-73-2 Sodium Hy	1310-73-2 Sodium Hydroxide			
EC50	40.38 mg/kg (Water Flea)			
7681-49-4 Sodium Fli	7681-49-4 Sodium Fluoride			
EC50	272 mg/kg (Algae)			
	98 mg/kg (daphnia)			
Algae Toxicity (static)	7 mg/l (Algae)			

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

AU ·

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 7)

UN-Number		
ADG, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADG, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADG, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADG, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Transport in bulk according to Annex I	of Marpol	
and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

	Ith and environmental regulations/legislation specific for the substance or mixture Inventory of Industrial Chemicals	
7732-18-5		
56-81-5	Glycerin	
7722-84-1	Hydrogen Peroxide	
9003-01-4	Polyacrylic Acid	
124-43-6	Carbamide Peroxide	
1310-73-2	Sodium Hydroxide	
7757-79-1	Potassium Nitrate	
9003-39-8	Polyvinylpyrrolidone	
	Trade Secret	
87-99-0	Xylitol	
7558-79-4	Sodium Phosphate, Dibasic	
8006-90-4	Oils, Peppermint	
56038-13-2	Sucralose	
7681-49-4	Sodium Fluoride	
6381-92-6	Edetate Disodium	
151-21-3	Sodium Lauryl Sulfate	
Standard fo	or the Uniform Scheduling of Medicines and Poisons	
7722-84-1	Hydrogen Peroxide	S5, S6, S10
124-43-6	Carbamide Peroxide	S5, S6, S10
7558-79-4	Sodium Phosphate, Dibasic	S3, S4
		Contd. on page

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 8)

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H226 Flammable liquid and vapour.

H227 Combustible liquid.

H271 May cause fire or explosion; strong oxidizer.

H272 May intensify fire; oxidizer.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H310 Fatal in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Flam. Liq. 4: Flammable liquids – Category 4

Ox. Liq. 1: Oxidizing liquids – Category 1

Ox. Sol. 2: Oxidizing solids – Category 2 Ox. Sol. 3: Oxidizing solids – Category 3

Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Serious eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 10)

Printing date 03.08.2023 Revision: 03.08.2023

Trade name: Opalescence™ Trèswhite™ Supreme, Opalescence Go™ (Mint or Melon PF 10-15% HP)

(Contd. of page 9)

Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.